



# Calf GoldLyte®

## Electrolyte/Microbial Supplement for Calves

Designed to replenish important electrolytes, energy and microbial activity in calves undergoing diarrhea. May be mixed with water or milk replacer.

### GUARANTEED ANALYSIS (minimum per pound)

<b>Sodium</b>	<b>6.2% (min)</b>	<b>7.2% (max)</b>
<b>Chloride</b>	<b>6.2% (min)</b>	
<b>Potassium</b>	<b>2.0% (min)</b>	

### Total Microbial Count (min) ..... 12 Billion (1.2 x 10<sup>10</sup>) colony forming units

(Lactobacillus acidophilus, Lactobacillus casei, Enterococcus faecium, Lactobacillus lactis, Pediococcus cerevisiae, Bifidobacterium bifidum, Bifidobacterium infantis, Bifidobacterium longum)

### INGREDIENTS

Dextrose, sodium chloride, potassium chloride, glycine, citric acid, sodium bicarbonate, inulin, dried primary yeast, monosodium phosphate, sodium silico aluminate, magnesium sulfate, dehydrated kelp extract, plant charcoal, ascorbic acid, thiamine mononitrate, riboflavin supplement, niacin supplement, calcium pantothenate, pyridoxine hydrochloride, folic acid, biotin, vitamin B12 supplement, dried Lactobacillus acidophilus fermentation product, dried Lactobacillus casei fermentation product, dried Enterococcus faecium fermentation product, dried Lactobacillus lactis fermentation product, dried Pediococcus cerevisiae fermentation product, dried Bifidobacterium bifidum fermentation product, dried Bifidobacterium infantis fermentation product, dried Bifidobacterium longum fermentation product, flavor.

### RECOMMENDED USES -

Designed as a nutritional supplement for calves to replenish electrolyte salts at shipping, during fluid loss, when diarrhea is present, as management during heat stress and to reduce shrink, in conjunction with veterinary therapy for disease; other times that listed nutrients, electrolytes and beneficial microbial cultures are desired.

### APPLICATION / FEEDING DIRECTIONS

Enclosed scoop holds 50 grams when filled level to rim.

During heat stress	Mix 50 to 100 grams with 2 quarts of water and feed between milk feedings.	or mix 25 grams with milk replacer and provide clean, fresh water twice a day.
Dehydrated calves or calves with diarrhea	Mix 100 grams with 2 quarts warm water. Feed twice daily. Can be administered as drench or with a stomach tube.	Calves less than 90 Lbs: Feed 1.5 quarts Calves up to 250 lbs: Feed 2 quarts Separate milk & electrolyte solution feedings by at least 30 minutes.

### PACKAGING

Product Code

<b>GN-265</b>	500 gram (5 dose) pouch (50 pouches / case)
<b>GN-261</b>	2.5 kg (25 dose) pouch (10 pouches / case)
<b>GN-262</b>	7.5 kg (75 dose) pouch (4 pouches / case)
<b>GN-267</b>	50 lb (225 dose) bags (1/case)
<b>GN-266</b>	one ton (50 lb bags, 40 per pallet)

GN-267 10142009