

Microbial supplement specifically designed for ruminant animals. Provides high levels of microorganisms, including rumen / intestinal origin bacteria, yeast and B vitamins. Contains a source of live (viable) naturally occurring microorganisms.

GUARANTEED ANALYSIS: (minimum per pound)

Live Microbial Count: 2.27 trillion colony forming units

(Saccharomyces cerevisiae, Propionibacterium freudenreichii, Propionibacterium acidipropionici, Lactobacillus acidophilus, Lactobacillus casei, Enterococcus faecium, Lactobacillus lactis, Pediococcus acidilactici, Bacillus subtilis, Bacillus licheniformis)

INGREDIENTS:

Calcium carbonate, active dry yeast, yeast culture, sodium silico aluminate, hydrolyzed yeast, dried Propionibacterium freudenreichii fermentation product, dried Propionibacterium acidipropionici fermentation product, dried Aspergillus oryzae fermentation extract, dried Aspergillus niger fermentation extract, dried Bacillus subtilis fermentation extract, dried Bacillus lentus fermentation extract, dried Trichoderma viride fermentation extract, dried Trichoderma longibrachiatum fermentation extract, dried Lactobacillus acidophilus fermentation product, dried Lactobacillus casei fermentation product, dried Enterococcus faecium fermentation product, dried Lactobacillus lactis fermentation product, dried Pediococcus acidilactici fermentation product, dried Bacillus subtilis fermentation product, dried Bacillus licheniformis fermentation product, thiamine mononitrate, riboflavin, calcium pantothenate, pyridoxine hydrochloride, ascorbic acid, niacin supplement, folic acid, biotin, vitamin B12 supplement.

RECOMMENDED USES:

Feed daily to all ruminants such as pre-conditioning cattle, incoming feedlot cattle and weanling calves; also for high producing dairy cows, dry and transition cows, lactating goats and sheep; during ration, pre- and post-partum. Especially useful for rations containing lower quality forages or high in soluble carbohydrates.

DIRECTIONS:

Feed at the following rates:

Pre-Conditioning Cattle, Incoming Feedlot Cattle, Weanling Calves:

4 grams / animal / day (1 pound / 110 head) for first 7 days, followed by 2 grams / animal / day (1 pound / 225 animals) for next 23 days, and 2 grams / animal / day thereafter.

Adult dairy cattle:

1 ounce / cow / day for 7 to 10 days, then 1/2 ounce / cow / day thereafter.

All small ruminants (goats, sheep):

2 grams / animal / day.

STORAGE: Keep closed between uses. Store in cool, dry place.

PRODUCT CODE

GN-01245 5 kg (11 lb) pouches (4 / case)

GN-00242 50 lb bags (1 / case)



TS_GeneratorProSaccRevised11012021

Bio-Vet, Inc. • 300 Ernie Drive • Barneveld, WI 53507, U.S.A. • (800) 246- 8381 • Fax (608) 924- 7006 • www.Bio-Vet.com